2014 TOWING CATALOG

Doing Our Best to Provide You the Best

www.towdemco.com

MADE IN USA

Victory Series Tow Bars

Patent# 6502847, 6612604, 6764092, 7837216 & Patent Pending

Advantages of the Dominator,™ Commander & Excali-Bar II® Tow Bars:

1. Will tow most vehicles.

2. Stores on the bumper of the motorhome – needs no additional storage space.

3. Narrow transport width.

4. Easy 2 pin hook-up.

5. Lightweight – easy to maneuver.

6. No extra wheels and tires to maintain.

Safety Cables are included with all Demco Tow Bars.

Rated at 14,000 lbs.

P.O. Box 189 • 4010 320th Street • Boyden, Iowa 51234

Kar Kaddy SS Tow Dolly



Advantages of the Kar Kaddy™SS Tow Dolly:

1. Kar Kaddy™SS is a complete package – no other add-ons or accessories are necessary.
2. Comparable in price to complete tow bar package.
3. Will tow most vehicles.
4. No installation time for baseplate, brakes and lights – all within unit. No shop labor to prepare vehicle for towing.
5. Folds and stores in 67” floor space.
6. Surge disc brakes are standard.
7. Hot dip galvanized – no more rust or repainting.

Watch at www.towdemco.com VIDEO

Demco 1964 50 YEARS 2014 Victory Series Tow Bars

Dominator

Part # 9511008

Patent# 6502847, 6612604, 6764092, 7837216 & Patent Pending

- Weighs only 30 lbs.
- Tows up to 7,500 lbs.
- Independent self-supporting arm
- Easy trigger release
- Adjustable towing angle
- Rise or Drop male receiver
- Safety cables are included with all Demco tow bars. Rated at 14,000 lbs.
- Limited Lifetime warranty

Excali-Bar II

Part # 9511009

Patent# 6502847, 6612604, 6764092, 7837216 & Patent Pending

- Weighs only 46 lbs.
- Tows up to 10,500 lbs.
- Independent self-supporting arm
- Easy trigger release
- Adjustable towing angle
- Rise or Drop male receiver
- Safety cables are included with all Demco tow bars. Rated at 14,000 lbs.
- Limited Lifetime warranty

Commander

Part # 9511010

Patent# 6502847, 6612604, 6764092, 7837216 & Patent Pending

- Weighs only 41 lbs.
- Tows up to 6,000 lbs.
- Independent self-supporting arm
- Easy trigger release
- Adjustable towing angle
- Rise or Drop male receiver
- Safety cables are included with all Demco tow bars. Rated at 14,000 lbs.
- Limited Lifetime warranty

Kwik-Tow

Part # 9511011

- 2" Ball coupler type, Class III
- Up to 5000 lbs. towing capacity
- Arms adjust from 20” to 36.5”
- Safety cables are included with all Demco tow bars Rated at 14,000 lbs.
- Limited Lifetime warranty

P.O. Box 189 • 4010 320th Street • Boyden, Iowa 51234

Victory Series
Tow Bar Features

Patent# 6502847, 6612604, 6764092, 7837216 & Patent Pending

Self-Supporting Arms

When unfolded, they will not fall to the ground. This makes hooking up a faster and cleaner process.

Independent Arms for Easy Hook-up

True independent arm movement.



Easy Trigger Release

There are no extra tools required for hook up or release! Truly non-binding.

Safety Cable Mounting Clips

Tow Bar's vinyl covered safety cables are attached securely out of the way with attached safety cable mounting clips.

Rise or Drop Male Receiver

A 1½ inch rise/drop receiver tube.

Independent Arms for Easy Hook-Up

- Exclusive design allows for true independent arm movement
- Vertical bolt design lets you maneuver the tow bar one leg at a time & eliminates having to step over the towing system when hooking and unhooking

Safety Cable Mounting Clips

- Vinyl covered safety cables are attached securely out of the way with safety cable mounting clips
- Eliminates the worry of cables dragging or the problem of what to do with them at your destination

Easy Trigger Release

- Truly non-binding design makes it easy to hook and unhook
- Angled design of the internal latch block allows the trigger release to activate under pressure
- No extra tools required to hook up or release

Rise or Drop Male Receiver

- Standard 1½ inch rise/drop receiver tube: No other tow bar manufacturer can stake this claim!
- Eliminates the need to purchase additional drop or rise equipment: The most versatile tow bars in the industry!

Adjustable Towing Angle

- Attached head joint is adjustable
- Adjusts so that your tow bar is level or parallel with the road while towing
- Adjustable head pivots up or down allowing 3 inches of displacement in addition to the 1½ inches of the offset receiver for maximum versatility: unmatched in the industry!

No Ball & Coupler

- Victory Series Tow Bars are RV mounted in the receiver hitch of the RV
- Self aligning and adjustable from the hitch
- Eliminates the need to line up a coupler to a ball and receiver

Victory Series
Tow Bar Features

Self Aligning... It's This Easy!

- Simply align the vehicle being towed as close as you can behind the motorhome
- Hookup the connecting legs, safety cables, appropriate wiring, and any accessories
- Slowly back-up the towed vehicle and the Victory Series Tow Bar legs will lock into the towing transport position- saving you valuable time & frustrations!

Self-Supporting Arms

- All Demco Victory Series Tow Bars are self-supporting
- Resistance is built into the tow bar connecting legs to create the self-support
- When unfolded, the Tow Bars will not fall to the ground making hooking up faster & easier

Stores in Multiple Positions

- Versatile design permits multiple storage positions
- Independent arm movement enables user to store it to the right, left, or one leg each way
- Able to be stored on the motorhome

Limited Lifetime Warranty... Only Manufacturer to Offer It!

- Demco Tow Bars have a Limited Lifetime Warranty to be free from defects in materials and workmanship under normal use and service from date of purchase by the original (first) retail owner, or until it is resold or transferred by the original owner.
- Any part of the Demco Tow Bar found in the judgment of the manufacturer to be defective in materials or workmanship will be repaired or replaced at the manufacturer's discretion without charge for parts or labor to the original owner.

At Demco we take your safety seriously! That's why our engineers use Finite Elemental Analysis (FEA) to test the strength, functionality and durability of our baseplates.



UNLESS YOU'RE LOOKING FOR IT, YOU PROBABLY WON'T SEE IT!

WHY PAY MORE for removable tabs???

At Demco we build our baseplates custom fit for your vehicle. Each vehicle is brought to our engineering design center and built vehicle specific. When we say "accessible.... but not visible" we mean it! NO MORE WORRYING about misplaced tabs, no more wondering about removing that heavy metal from the front of the car, should I take them off or leave them on? .....AT Demco we make it EASY! We are the best at working with the car design to minimize the aesthetic impact. With Demco just HOOK UP AND GO!

- Bolts permanently to the chassis of the towed vehicle and provides a secure, reliable attachment point for all Demco tow bars.
- Hookup to a Demco baseplate is easy - two attaching pins with quick pins and two safety cables with safety hook retainers.
- Available for a wide variety of late model towed vehicles.

Contact your dealer, call Demco or visit our website for the latest Demco baseplate fit list.

Baseplate Installation on a 2014 GMC Acadia

Baseplate Installation on a 2013 Volkswagen Jetta TDI

Baseplate Installation on a 2014 Chevrolet Silverado

Baseplate Installation on a 2014 Jeep Wrangler

Plastic Baseplate Pull Ear Covers
Part # 5899

Baseplate Installation on a 2014 Honda CRV

Baseplate Adapters

ADAPTS DEMCO TOW BARS TO OTHER MANUFACTURERS' BASEPLATES

9523001

Adapter Brackets for Roadmaster Baseplates including XL or EZ Series



9523017

Mounting Kit, Demco Tow Bar to Duncan Baseplate



9523019

Mounting Kit, Demco Tow Bar to Reese® Tow Champ & Valley Ind. Utility Tow Bar, Bumper Brackets



9523032

Mounting Kit, Demco Tow Bars to Roadmaster MS or MX Series Baseplates



9523041

Adapter Kit, Adapts Demco Tow Bars to Blue Ox Baseplates

9523056

Mounting Bracket Kit for Mounting 4, 5 or 6 Pole Round Sockets

ADAPTS DEMCO BASEPLATES TO OTHER MANUFACTURERS' TOW BARS



9523014

Mounting Kit, Roadmaster Eagle™& Eagle 8000™ Tow Bar to Demco Baseplate



9523015

Mounting Kit, Valley Ind. Utility Tow Bar & Reese® Tow Champ to Demco Baseplate

9523023

Mounting Kit, Roadmaster Falcon 5250 to Demco Baseplate



9523034

Mounting Kit, Blue Ox® Aladden®, Aventa® II, Aventa® LX and Alexus to Demco Baseplate



9523036

Mounting Kit for Roadmaster Tracker, Falcon 2, Falcon All Terrain, Blackhawk and Blackhawk All Terrain™ Towbars and Sterling towbars with serial numbers up to 14,500 to Demco Baseplate



9523062

Mounting Kit, Roadmaster Sterling All Terrain™ & Sterling Tow Bars with Serial #'s above 14,501 to Demco Baseplate

Tow Bar Debris Deflector

9523025

TOWED VEHICLE PROTECTION

There's a world of difference between the comfort behind the steering wheel of your motor home and the raw elements behind your rear bumper. Elements like loose gravel, road tar and other road debris get hurled at high velocity toward your towed vehicle. The Sentry® tow bar deflector is constructed of resilient, high density polyethylene and is attached to the connecting ears of the Demco tow bar.

Sentry™ Deflector Adapter for Blue Ox Baseplate

9523061

Adapter for Demco, Stowmaster™ and Blue Ox® RV mounted Tow Bars to Roadmaster™ Baseplate

9523027

The Sentry® deflector takes very little space to store. It comes with its own storage bag.

Sentry™ Deflector for Towed Vehicle 9523025

- Unique position and 30º angle deflect debris down and away from your vehicle. Messy cleanup and costly paint chip repair are minimized.
- High density polyethylene retains its shape and takes destructive abuse.
- Lightweight, but strong, the Sentry® deflector is durable, yet pliable and flexible.
- Easy to install or remove, it assembles from three parts that lock together (no tools required).
- Fringed bottom edge allows more flexibility - minimizes damage to deflector caused by curbs and extreme dips and bumps.

P.O. Box 189 • 4010 320th Street • Boyden, Iowa 51234

Demco Towed Connectors

Demco Towed Connectors PATENT PENDING

The Industry's Best Direct Plug-in Electrical Hook-up for your Towed Vehicle.

NO SPLICING NO MISTAKES

MAKE/MODEL	YEAR	DESCRIPTION	PART #
BUICK			
Enclave	13		9523113
Enclave	08-12		9523070
Rainier	04-07		9523071
CADILLAC			
Escalade	07-12	2 Wheel Drive Only	9523098
CHEVY			
Avalanche	07-12	1500 Series	9523072
Cruze	11-14		9523106
Cobalt	09-10	4- Door, No Turbo	9523073
Cobalt	05-10	2- Door	9523076
Colorado	04-12		9523074
Equinox	10-14		9523075
HHR	06-11	No 'SS' or Turbo Models	9523076
Malibu	08-12		9523070
Malibu	13		9523108
* Pick-up	07-13	1500 Series, New Style Only, No 'HEAVY DUTY' Models	9523077
Sonic Sedan	12-13	Includes Hatchback	9523102
Suburban	07-13	1500 Series Inlcudes Hatchback	9523098
Tahoe	07-12	1500 Series, No 'Hybrid' Models	9523098
Traverse	09-12		9523070
Traverse	13		9523113
Trailblazer	02-08	Including 'EXT' Models	9523071
DODGE			
Nitro	07-11		9523078
Ram 1500	09-13	4 x 4 Only Non LED	9523079
Ram 1500	09-13	4 x 4 Only With LED	9523114
FORD			
Edge	07-10		9523080
Edge	11-13		9523100
Escape	07-12	Including 'Hybrid' Models	9523080
Escape	13-14		9523110
Fiesta	11-13	Hatchback	9523116
Flex	09-12	No Eco Boost	9523081
Focus	12-14	Sedan	9523111
Focus	12-13	Hatchback	9523112
Fusion	06-12		9523082

** Some cutting required*

MAKE/MODEL	YEAR	DESCRIPTION	PART #
GMC			
Acadia	07-12	Includes Acadia Denali	9523083
Canyon	04-12		9523074
Envoy	02-09	Including 'XLT' and 'XUV'	9523071
Terrain	10-14		9523075
Yukon	07-12	1500 Series	9523098
Sierra	07-13	1500 Series	9523077
HONDA			
CRV	02-06		9523084
CRV	07-11		9523085
CRV	12-14		9523104
Element	07-12		9523086
Fit	07-13		9523087
JEEP			
Compass	11-13		9523107
Liberty	02-07	Including 'Diesel'	9523088
Liberty	08-12		9523078
Grand Cherokee	99-04		9523089
	05-06	No 'SRT-8'	9523090
	07-13	No 'SRT-8'	9523091
	14		9523115
Wrangler	98-02	Including Sport	9523092
	03-06	Including Single & Double Tube Bumper, Rubicon, and Unlimited	9523092
Wrangler	07-14		9523093
LINCOLN			
MKX	06-10		9523080
MKX	11-13		9523109
MERCURY			
Mariner	08-11	Including 'Hybrid' Models	9523080
OLDSMOBILE			
Bravada	02-04		9523071
PONTIAC			
G5	07-09		9523076
G5 Pursuit	05-09	Canada Only	9523076
SATURN			
Aura	07-09		9523094
Ion	05-07		9523095
Vue	02-07	No VTI	9523101
Vue	08-10		9523096
SUZUKI			
Grand Vitara	09-12		9523097

Tow Bar Accessories

Towing Combo Kits

Everything you need for towing your vehicle!

Diode System Combo Kit

Kit includes:

- 9523006 - 6 Way Coiled Lighting cable
- 9523010 - Diode Wiring Kit
- 9523042 - Marine Grade, VinyDemco Storage Cover
- 9523068 - Three Pin Locking Kit
- 9523053 - 7 to 6 Way Adapter

Bulb/Socket Combo Kit

Kit includes:

- 9523006 - 6 Way Coiled Lighting Cable
- 9523047 - Bulb & Socket Wiring Kit
- 9523042 - Marine Grade, Vinyl Demco Storage Cover
- 9523068 - Three Pin Locking Kit
- 9523053 - 7 to 6 Way Adapter

Wiring Kits

Towed Vehicle Taillight Wiring /Diode Kit

9523010

- Heat-sealed diodes to connect your motorhome's running lights, turn signals and brake lights to your towed vehicle
- These diodes prevent the backflow of electrical feedback to protect both vehicles' electrical systems
- All the necessary hardware comes with each kit to include: 4 heat sealed diodes, 26' 4-conductor 16ga wire, butt connectors, ring terminals, nylon ties and wiring instructions.

Bulb Taillight Wiring Kit

9523047

- Self contained wiring kit is designed to by-pass your towed vehicles' proprietary wiring system
- Eliminates the need to tap into the towed vehicle's electrical system
- Wiring is routed underneath the towed vehicle to a front mounted socket at the front of the car
- Kit includes:
  - -bulbs and sockets
  - -butt connectors
  - -wiring instructions
  - -26' 4-conductor 16ga wire
  - -ring terminals
  - -nylon ties
  - Installer's note: There must be adequate room inside the towed vehicle's taillight lens housing to allow for an extra bulb and socket.

Flex–Coiled Wiring Cables

4 Way Coiled Lighting Cable
9523004
6 Way Coiled Lighting Cable
9523006
7 to 6 Way Coiled Lighting Cable
9523054
7 to 4 Way Coiled Lighting Cable
9523069

- Expandable coiled wiring cables connect the electricity from the motorhome to the towed vehicle
- Cable has vinyl coating and all plugs are silicone-injected to limit corrosion and moisture
- Designed to withstand the elements and rigor of every towing situation
- Coiled wiring cables expand to over 7' in length and contract for storage when not in use

P.O. Box 189 • 4010 320th Street • Boyden, Iowa 51234

Tow Bar Accessories

1964 50 YEARS 2014

Demco

7 to 6 RV Adapter
9523053

Adapter allows vehicles wired with 7-RV Blade sockets to tow vehicles/ trailers with 6-way round connector.

Diode Kit
9523063

- Heat-sealed diodes to connect your motorhome's running lights, turn signals and brake lights to your towed vehicle
- These diodes prevent the backflow of electrical feedback to protect both vehicles' electrical systems
- Package includes four diodes

Light Bar
KKLB

- Light Bar attaches to towed vehicle with suction cups and straps.
- Light angle adjustment is standard with 30' wiring harness.

Two Quick Pins

Two Standard Pins with Quick Pins

We hope you never have the need for extra pins and clips! But should you want the peace of mind that you have an extra set, or your original set has been misplaced, we have what you need.

***Sold per pair**

3 ½" Receiver Extension
9523052

Sometimes you just need a little extra room. This receiver extension is designed to use a bike rack when towing with a Victory Series Tow Bar.

54" Straight Safety Cables
9523051

64" Straight Safety Cables
9523055

Coiled Safety Cables
9523003

- All cables are strength tested at 7000 lbs.
- All cables are rated at 14,000 lbs. when used in tandem
- Cables are vinyl coated to protect the tow bars
- Cables are 86" in length
- All Demco Victory Series Tow Bars come with safety cables
- Sold per pair

12" Safety Cable Extensions
9523064

18" Safety Cable Extensions
9523065

Great for when you need additional length on your existing safety cables!

- Each extension is strength tested at 7000 lbs.
- Extensions are rated at 14,000 lbs. when used in tandem

***Sold per pair**

Tow Bar Storage Cover
9523042

- Marine-grade vinyl cover to protect your tow bar from the elements
- Comes with an attractive Demco logo
- One year warranty

4" Drop/Raise Receiver for Victory Series Tow Bars
9523059

6" Drop/Raise Receiver for Victory Series Tow Bars
9523055



- 4" and 6" drop/raise receivers
- Aid in achieving the proper towing height and can be turned up or down to solve the "out of level" towing situation
- Designed using Finite Elemental Analysis (FEA)
- Tested to 10,500 GVWR and up to 100 lbs tongue weight

Pull Ear Covers
5899

**Sold per pair*

- High density polyethylene baseplate pull ear covers provide an attractive way to cover the baseplate ears
- Covers simply snap on to the baseplate when not in use

5/8" Locking Hitch Pin
9523066

Add an element of safety to your tow bar! With this you can lock your tow bar to your motorhome's receiver.

Two Locking Baseplate Pins
9523067

Three Pin Locking Kit
9523068

**All keyed alike.*

- Used for securing your baseplate to your tow bar and your tow bar to your motorhome
- These locks are designed to discourage theft and tampering.
- Contains one 5/8" Locking Hitch Pin (9523066) and one pair of Locking Baseplate Pins (9523067)

Demco KarKaddy SS™

1964 50 YEARS 2014

Durable Galvanized Finish

Custom chrome wheels and radial tires make this tow dolly one you'll be proud to use for years to come.

Hydraulic Surge Brake System

Provides safe, controlled stopping.



Tilt-bed Frame

Provides fast, easy loading. Positive locking mechanism on tilt-bed does not require a separate loose pin.

Disc Brakes

Provides optimal braking

Attached "SURE-GRIP" Loading Ramps

Provide safe loading traction

VIDEO *Watch at www.towdemco.com*

Demco KARKADDY™ SS

Kar Kaddy™ SS will tow almost any vehicle, large or small, without difficult, time-consuming adjustments to axles or ramps. This means no bolts to tighten and no heavy components to reposition.

P.O. Box 189 • 4010 320th Street • Boyden, Iowa 51234

Demco KarKaddy SS™

Solves the space storage problem.

Unfolded Kar Kaddy™ SS length is 133"

Many RV park lots are not deep enough to accommodate your motor home and tow dolly.

Folded Kar Kaddy ™ SS length is 67”

By using only half the space, you can fit both motor home and tow dolly comfortably in almost any RV lot. Or you can store your tow dolly in front of your car in your garage at home.

- Will accommodate front wheel drive standard or automatic transmission vehicles.
- Less than 100 lbs. tongue weight, when loaded, for improved ride and handling of towed vehicles. Ideal for towing by mini motor homes.
- Auto-steer cornering makes turns problem-free.
- Lower center of gravity for towed vehicle improves stability.
- Dual safety chains for towed vehicle are standard.
- Wheel jack to help move the dolly when not loaded.
- LED lights give more illumination and longer life.

Unfolded, the Kar Kaddy ™ SS takes as much space to store as any other tow dolly. But there’s not enough space for the car and the tow dolly.

A folded Kar Kaddy ™ SS and your car can fit comfortably in your garage with room to spare.

Demco KarKaddy™ SS

9713045 Kar Kaddy™ SS (w/Surge Brakes)

Need more space? Fold it!

NOW WITH DISC BRAKES

- Perfect solution for RV parks that are not deep enough to accommodate your motorhome and tow dolly
- Fully extended= 133 inches long
- Folded= 67 inches long
- Hydraulic surge brake system for safe and controlled stopping
- Chrome wheels with radial tires and dual safety chains
- Sealed bearing hubs with a 3-year unlimited warranty
- Less than 100 lbs. tongue weight when loaded, for improved ride and handling of tow vehicles
- Total towed vehicle weight: 4,700 lbs.
- Axle capacity: 3,500 lbs.
- Towed vehicle tread width: 42” minimum, 76” maximum
- Galvanized finish
- EZ-Latch coupler

Demco KarKaddy™ 3

9713046 Kar Kaddy™3 (w/Surge Brakes)

Tows almost any vehicle without adjustments to axles or ramps.

NOW WITH DISC BRAKES

- No bolts to tighten and no heavy components to reposition.
- Tilt bed frame with positive automatic relatch locking mechanism for easy loading
- Polyethylene fenders with protected, sealed lights
- Sealed bearing hubs with a 3-year unlimited warranty
- “Sure-grip” galvanized low profile loading ramps and platforms
- Total towed vehicle weight: 4,700 lbs.
- Axle capacity: 3,500 lbs.
- Towed vehicle tread width: 42” minimum, 76” maximum
- Black powder coat paint finish, with hot dipped galvanized components
- Auto-steer makes turns problem-free.
- EZ-Latch coupler

Demco Tow-It™ 2

9713048 Tow-It™2

9713047 Tow-It™2 (w/Surge Brakes)

Ideal for RV owners who need an economical, dependable auto transport

NOW WITH DISC BRAKES

- Low tongue weight when car is loaded (approximately 100 lbs.)
- Fully enclosed, no-rust, no-dent polyethylene fenders for towed vehicle protection
- 5th wheel design, swivel platform, “sure-grip” galvanized ramps
- 14” wheels and radial tires
- Towed vehicle tread width: 42” minimum, 68” maximum
- Featuring black powder coat paint finish, with hot dipped galvanized components.
- Sealed bearing hubs with a 3-year unlimited warranty
- EZ-Latch coupler

Tow Dolly Debris Deflector



Quality Protection

There's a world of difference between the comfort behind the steering wheel of your motor home and the raw elements behind your rear bumper. Elements like loose gravel, road tar and other road debris get hurled at high velocity toward your towed vehicle.

Sentry™ Deflector for Tow Dollies 5950

- Unique position and 30º angle deflect debris down and away from your vehicle. Messy cleanup and costly paint chip repair are minimized.
- High density polyethylene retains its shape and takes destructive abuse.
- Lightweight, but strong, the Sentry® deflector is durable, yet pliable and flexible.
- Easy to install or remove, it assembles from three parts that lock together (no tools required).
- Fringed bottom edge allows more flexibility - minimizes damage to deflector caused by curbs and extreme dips and bumps.

Spare Tire 5968
(14" ***chrome rim with radial tire)***
Spare Tire 5965
(14" ***white rim with radial tire)***

Spare Tire Mount RKSTM (black)

Wheel Jack
11683

Steering Wheel Strap
5975

Securely locks steering wheel. For use with towed vehicles that are not equipped with locking steering wheels .

Spare Tire Cover
KK6TC

Light Bar
KKLB

- Light Bar attaches to towed vehicle with suction cups and straps.
- Light angle adjustment is standard, with 30' wiring harness.

Tow Dolly Accessories

Loading Winch with Strap Assembly
KK2W

Tool Box
RKTB

Specifications

Kar Kaddy 3 Standard Equipment includes:

Transport frame, attached loading ramps, auto-steer style tie rod system with special gas filled steering dampener, two basket style polyester tie-down straps, two tie-down winches with built in ratchet handles and safety pins, two towed vehicle safety chains, two transport vehicle safety cables, radial tires, full fenders with flaps, rally wheels, sealed combination stop-tail-turn lights, center cluster and license plate light, license plate mounting bracket, amber front marker lights, fender side reflectors,
2" ball coupler.

KK370SB - 81/2' WIDE AUTO TRANSPORT WITH BRAKES

- Hydraulic surge disc brakes
- Overall width - 101"
- Overall length - 131"
- Tires - ST205/75R14 load range (C) BSW radial tire
- Wheels - 14" x 5.5"
- Weight - 520 lbs.
- Axle capacity - 3,500 lbs.
- Towed vehicle tread width - Min. - 42", Max. - 76"
- Maximum towed vehicle body width - 76"
- EZ-Latch coupler rating - 10,000 lbs.
- Total towed vehicle weight - 4,700 lbs.
- GVWR (unit weight plus max. carrying capacity) - 3,500 lbs.

CAUTION: Read your motor vehicle owners manual to determine proper towing procedure. All vehicles must be towed with the front axle on the auto transport.

Kar Kaddy SS Standard Equipment includes:

KK460SS standard equipment is the same as the KK370 plus wheel jack and LED light system.

KK460SS - 81/2' WIDE AUTO TRANSPORT WITH BRAKES

- Hydraulic surge disc brakes
- Overall width - 101"
- Overall length unfolded - 133"
- Overall length folded - 67"
- Tires - ST205/75R14 load range (C) BSW radial tire
- Wheels - 14" x 5.5-5" Nickel Chrome
- Weight - 615 lbs.
- Axle capacity - 3,500 lbs.
- Towed vehicle tread width - Min. - 42", Max. - 76"
- Maximum towed vehicle body width - 76"
- EZ-Latch coupler rating - 10,000 lbs.
- Total towed vehicle weight - 4,700 lbs.
- GVWR (unit weight plus max. carrying capacity) - 3,500 lbs.

CAUTION: Read your motor vehicle owners manual to determine proper towing procedure. All vehicles must be towed with the front axle on the auto transport.

Tow-It 2 Standard Equipment includes:

Heavy-duty frame, attached loading ramps, two basket style polyester tie-downs, two tie-down winches with built in ratchet handles and safety pins, two towed vehicle safety chains, two transport vehicle safety cables, radial tires, full fenders, rally wheels, sealed combination stop-tail-turn lights, fender side reflectors,
2" ball coupler.

TI210 8' WIDE AUTO TRANSPORT

- EZ-Latch coupler rating - 10,000 lbs.
- Overall width - 95"
- Overall length - 131"
- Tires - ST205/75R14 load range (C) BSW radial tire
- Wheels - 14" x 5.5"
- Weight - 510 lbs. (TI210 assembled)
- Axle capacity - 3,500 lbs.
- GVWR (unit weight plus max. carrying capacity) - 3,500 lbs.
- Towed vehicle tread width - Min. - 42" (inside to inside of tire), Max. - 68" (outside to outside of tire)
- Total towed vehicle weight - 4,700 lbs.
- Maximum towed vehicle body width - 68"

CAUTION: Read your motor vehicle owners manual to determine proper towing procedure. All vehicles must be towed with the front axle on the auto transport.

TI210SB - 8" WIDE AUTO Transport with brakes

Includes: Same as above with hydraulic surge disc brakes.

All vehicles to be towed on Demco Auto Transports must be towed with the front axle on the dolly. Some cars may be too wide in the body area to properly fit on an 8' wide auto transport even though the front tire measurement is 68" or less (the 1992 Oldsmobile 88 and 98 are examples).

If you are planning to tow a new or late model full size car, we would recommend the 8 1/2' wide KK370SB or KK460SS.

Always follow weight limitations when choosing a DemcoAuto Transport.

8 1/2' wide auto transports may be subject to width restrictions on roads in some states.

P.O. Box 189 • 4010 320th Street • Boyden, Iowa 51234

Need more information? || www.towdemco.com

Video:
Video profiles of all our major towing products

News:
News and updates

Accessories:
Easy to find lists and photos



Demco No.	Year(s)	Make	Model(s)
9517122	01-06	Acura	MDX *4
9518214	08-12	Buick	Enclave *4*9
9518302	13-14	Buick	Enclave *4*9
9518261	10-13	Buick	LaCrosse *4*9

Fit List:
Find your fit

Manuals:
Owners manuals and other downloads available

Facebook:
Follow us at www.facebook.com/towdemco

Dealer Map:
Find the Demco Dealer Near You

4010 320th Street
Boyden, Iowa 51234
(800) 543-3626

ISO 9001 Certified

RVAA Recreational Vehicle Aftermarket Association

Family Motor Coach Assoc.

Member RVIA Recreation Vehicle Industry Association

Demco

P.O. Box 189 • 4010 320th Street • Boyden, Iowa 51234

(712) 725-2311 • (800) 543-3626 • Fax (800) 845-6420

View all Demco Products on the web at

www. towdemco.com

TB11012 Rev 27 • 10.1.13